Page 6

The following Listing of the Claims will replace all prior versions and all prior listings of the claims in the present application:

## **Listing of The Claims:**

- 1. (Original) A method for identifying a compound which decreases infectivity of a cell by HIV comprising:
- (a) contacting a cell which expresses a polypeptide comprising a sequence selected from the group consisting of SEQ ID NO: 4, 5, and 6 with a candidate compound which binds to said polypeptide;
  - (b) contacting said cell with HIV; and
- (c) measuring infectivity of said cell by said HIV, wherein if infectivity is decreased then said candidate compound is identified as a compound which decreased infectivity of a cell by HIV.
- 2. (Original) The method of claim 1, wherein HIV infectivity is decreased by at least two-fold.
- 3. (Original) The method according to claim 1, wherein said infectivity of the cell by HIV is measured by measuring the production of an HIV protein.
- 4. (Original) The method according to claim 3, wherein said HIV protein is p24.
- 5. (Original) The method according to claim 3, wherein said HIV protein is the glycoprotein GP120/GP160 or a portion thereof.
- 6. (Original) A method for identifying a compound which decreases infectivity of a cell by HIV comprising:
- (a) contacting a polypeptide of SEQ ID Nos. 4, 5, or 6 with a candidate compound and detecting binding of said candidate compound to said polypeptide, wherein if said candidate compound binds to said polypeptide, then;
- (b) contacting a cell which expresses a polypeptide comprising a sequence selected from the group consisting of SEQ ID NO: 4, 5, and 6 with said candidate compound of step (a) which binds to said polypeptide;

Page 7

(c) contacting said cell with HIV; and

- (d) measuring infectivity of said cell by said HIV, wherein if infectivity is decreased then said candidate compound is identified as a compound which decreases infectivity of a cell by HIV.
- 7. (Original) The method of claim 6, wherein HIV infectivity is decreased by at least two-fold.
- 8. (Original) The method according to claim 6, wherein said infectivity of the cell by HIV is measured by measuring the production of an HIV protein.
- 9. (Original) The method according to claim 8, wherein said HIV protein is p24.
- 10. (Original) The method according to claim 8, wherein said HIV protein is the glycoprotein GP120/GP160 or a portion thereof.
- 11. (Original) A method for identifying a compound which decreases entry of HIV into a cell comprising:
- (a) contacting a polypeptide of SEQ ID Nos. 4, 5, or 6 with a candidate compound and detecting binding of said candidate compound to said polypeptide, wherein if said candidate compound binds to said polypeptide, then;
- (b) contacting a cell which expresses a polypeptide comprising a sequence selected from the group consisting of SEQ ID NO: 4, 5, and 6 with said candidate compound of step (a) which binds to said polypeptide;
  - (c) contacting said cell with HIV; and
- (d) measuring the entry of said HIV into said cell, wherein if entry is decreased then said candidate compound is identified as a compound which decreases the entry of HIV into a cell.
- 12. (Original) The method of claim 11, wherein HIV entry is decreased by at least two-fold.
- 13. (Original) The method according to claim 11, wherein said entry of HIV into a cell is measured by measuring the production of an HIV protein.

Page 8

14. (Original) The method according to claim 13, wherein said HIV protein is p24.

15. (Original) The method according to claim 13, wherein said HIV protein is the glycoprotein GP120/GP160 or a portion thereof.

Page 9

## Amendments to the Drawings:

The attached 2 sheets of drawings include changes to Figs. 2A and 6B:

Sheet 1, which includes Figs. 2A, replaces the sheet that includes Figs. 2A.

Sheet 2, which includes Figs. 6B, replaces the sheet that includes Figs. 6B.

Attachment: 2 replacement sheet(s); 2 Marked-up sheets showing changes made.